

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|--------------------------|
| Product form | : Mixture |
| Product name | : Coconut |
| UFI | : N6TV- |
| Product code | P22Y-8002-7JA3 : |
| Type of product | : Perfumes, fragrances : |
| Product group | Finished Good |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|---|
| Main use category | : Industrial use, Professional use |
| Industrial/Professional use spec | : For professional use only Industrial |
| Use of the substance/mixture | : Perfumes, fragrances |
| Function or use category | : Odour agents |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ZEN AROMA
22c Portside Drive
Mt Maunganui, 3116
New Zealand
PH: 07 578 4755
support@zenaroma.co.nz

1.4. Emergency telephone number

Emergency number 0800 764 766 NZ Poisons Centre

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Acute toxicity (oral), Category 4 | H302 |
| Acute toxicity (dermal), Category 4 | H312 |
| Acute toxicity (inhalation:dust,mist) Category 4 | H332 |
| Skin sensitisation, Category 1 | H317 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 |

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

| | |
|-------------------------|--|
| Signal word (CLP) | : Warning |
| Hazardous ingredients | : Coumarin crystals; Triplal (Vertocitral) |
| Hazard statements (CLP) | : H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H317 - May cause an allergic skin reaction. |

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------------|--|
| Methyl ester of rosin (partially hydrogenated) | (CAS-No.) 8050-15-5 (EC-No.) 232-476-2 | 15 - 30 | Aquatic Chronic 3, H412 |
| Coumarin crystals | (CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26 | 8.75 - 17.5 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Ethyl vanillin crystals | (CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24 | 0.7 - 1.4 | Eye Irrit. 2, H319 |
| Isoamyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 | 0.5 - 1 | Flam. Liq. 3, H226 |
| Triplal (Vertocitral) | (CAS-No.) 68039-49-6 (EC-No.) 268-264-1 | 0.05 - 0.1 | Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317 |

Allergen report available upon request.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Isoamyl acetate (123-92-2) | | |
|----------------------------|--|--|
| EU | IOELV TWA (mg/m ³) | 270 mg/m ³ |
| EU | IOELV TWA (ppm) | 50 ppm |
| EU | IOELV STEL (mg/m ³) | 540 mg/m ³ |
| EU | IOELV STEL (ppm) | 100 ppm |
| Austria | MAK (mg/m ³) | 270 mg/m ³ (Pentyl acetate (all isomers)) |
| Austria | MAK (ppm) | 50 ppm (Pentyl acetate (all isomers)) |
| Austria | MAK Short time value (mg/m ³) | 540 mg/m ³ (Pentylacetate) |
| Austria | MAK Short time value (ppm) | 100 ppm (Pentylacetate) |
| Belgium | Limit value (mg/m ³) | 270 mg/m ³ |
| Belgium | Limit value (ppm) | 50 ppm |
| Belgium | Short time value (mg/m ³) | 540 mg/m ³ |
| Belgium | Short time value (ppm) | 100 ppm |
| Bulgaria | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Bulgaria | OEL TWA (ppm) | 50 ppm |
| Bulgaria | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Bulgaria | OEL STEL (ppm) | 100 ppm |
| Croatia | GVI (granična vrijednost izloženosti) (mg/m ³) | 270 mg/m ³ |
| Croatia | GVI (granična vrijednost izloženosti) (ppm) | 50 ppm |
| Croatia | KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³) | 540 mg/m ³ |
| Croatia | KGVI (kratkotrajna granična vrijednost izloženosti) (ppm) | 100 ppm |
| Cyprus | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Cyprus | OEL TWA (ppm) | 50 ppm |
| Cyprus | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Cyprus | OEL STEL (ppm) | 100 ppm |

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | | |
|----------------------------|---|---|
| Denmark | Grænseværdie (langvarig) (mg/m ³) | 271 mg/m ³ (Amyl acetate, all isomers) |
| Denmark | Grænseværdie (langvarig) (ppm) | 50 ppm (Amyl acetate, all isomers) |
| Estonia | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Estonia | OEL TWA (ppm) | 50 ppm |
| Estonia | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Estonia | OEL STEL (ppm) | 100 ppm |
| Finland | HTP-arvo (8h) (mg/m ³) | 270 mg/m ³ (Pentyl acetate) |
| Finland | HTP-arvo (8h) (ppm) | 50 ppm (Pentyl acetate) |
| Finland | HTP-arvo (15 min) | 540 mg/m ³ |
| Finland | HTP-arvo (15 min) (ppm) | 100 ppm |
| France | VME (mg/m ³) | 270 mg/m ³ (restrictive limit) |
| France | VME (ppm) | 50 ppm (restrictive limit) |
| France | VLE (mg/m ³) | 540 mg/m ³ (restrictive limit) |
| France | VLE (ppm) | 100 ppm (restrictive limit) |
| Germany | TRGS 900 Occupational exposure limit value (mg/m ³) | 270 mg/m ³ |
| Germany | TRGS 900 Occupational exposure limit value (ppm) | 50 ppm |
| Gibraltar | Eight hours mg/m ³ | 270 mg/m ³ |
| Gibraltar | Eight hours ppm | 50 ppm |
| Gibraltar | Short-term mg/m ³ | 540 mg/m ³ |
| Gibraltar | Short-term ppm | 100 ppm |
| Greece | OEL TWA (mg/m ³) | 530 mg/m ³ |
| Greece | OEL TWA (ppm) | 100 ppm |
| Greece | OEL STEL (mg/m ³) | 800 mg/m ³ |
| Greece | OEL STEL (ppm) | 150 ppm |
| Hungary | AK-érték | 270 mg/m ³ |
| Hungary | CK-érték | 540 mg/m ³ |
| Ireland | OEL (8 hours ref) (mg/m ³) | 260 mg/m ³ |
| Ireland | OEL (8 hours ref) (ppm) | 50 ppm |
| Ireland | OEL (15 min ref) (mg/m ³) | 520 mg/m ³ |
| Ireland | OEL (15 min ref) (ppm) | 100 ppm |
| Italy | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Italy | OEL TWA (ppm) | 50 ppm |
| Italy | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Italy | OEL STEL (ppm) | 100 ppm |
| Latvia | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Latvia | OEL TWA (ppm) | 50 ppm |
| Lithuania | IPRV (mg/m ³) | 270 mg/m ³ |
| Lithuania | IPRV (ppm) | 50 ppm |
| Lithuania | TPRV (mg/m ³) | 540 mg/m ³ |
| Lithuania | TPRV (ppm) | 100 ppm |
| Luxembourg | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Luxembourg | OEL TWA (ppm) | 50 ppm |
| Luxembourg | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Luxembourg | OEL STEL (ppm) | 100 ppm |
| Malta | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Malta | OEL TWA (ppm) | 50 ppm |
| Malta | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Malta | OEL STEL (ppm) | 100 ppm |
| Netherlands | Grenswaarde TGG 15MIN (mg/m ³) | 530 mg/m ³ |
| Poland | NDS (mg/m ³) | 250 mg/m ³ |

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | | |
|----------------------------|---|---|
| Poland | NDSch (mg/m ³) | 500 mg/m ³ |
| Portugal | OEL TWA (mg/m ³) | 270 mg/m ³ (indicative limit value) |
| Portugal | OEL TWA (ppm) | 50 ppm (indicative limit value) |
| Portugal | OEL STEL (mg/m ³) | 540 mg/m ³ (indicative limit value) |
| Portugal | OEL STEL (ppm) | 100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers) |
| Romania | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Romania | OEL TWA (ppm) | 50 ppm |
| Romania | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Romania | OEL STEL (ppm) | 100 ppm |
| Slovakia | NPHV (priemerná) (mg/m ³) | 270 mg/m ³ |
| Slovakia | NPHV (priemerná) (ppm) | 50 ppm |
| Slovakia | NPHV (Hraničná) (mg/m ³) | 540 mg/m ³ |
| Slovenia | OEL TWA (mg/m ³) | 270 mg/m ³ |
| Slovenia | OEL TWA (ppm) | 50 ppm |
| Slovenia | OEL STEL (mg/m ³) | 540 mg/m ³ |
| Slovenia | OEL STEL (ppm) | 100 ppm |
| Spain | VLA-ED (mg/m ³) | 270 mg/m ³ (indicative limit value) |
| Spain | VLA-ED (ppm) | 50 ppm (indicative limit value) |
| Spain | VLA-EC (mg/m ³) | 540 mg/m ³ |
| Spain | VLA-EC (ppm) | 100 ppm |
| Sweden | nivågränsvärde (NVG) (mg/m ³) | 270 mg/m ³ (Pentyl acetates) |
| Sweden | nivågränsvärde (NVG) (ppm) | 50 ppm (Pentyl acetates) |
| Sweden | kortidsvärde (KTV) (mg/m ³) | 540 mg/m ³ (Pentyl acetates) |
| Sweden | kortidsvärde (KTV) (ppm) | 100 ppm (Pentyl acetates) |
| Norway | Grenseverdier (AN) (mg/m ³) | 260 mg/m ³ |
| Norway | Grenseverdier (AN) (ppm) | 50 ppm |
| Norway | Grenseverdier (Kortidsverdi) (mg/m ³) | 325 mg/m ³ (value calculated) |
| Norway | Grenseverdier (Kortidsverdi) (ppm) | 75 ppm (value calculated) |
| Australia | TWA (mg/m ³) | 270 mg/m ³ |
| Australia | TWA (ppm) | 50 ppm |
| Australia | STEL (mg/m ³) | 541 mg/m ³ |
| Australia | STEL (ppm) | 100 ppm |
| Canada (Quebec) | VECD (mg/m ³) | 532 mg/m ³ (Pentyl acetates) |
| Canada (Quebec) | VECD (ppm) | 100 ppm (Pentyl acetates) |
| Canada (Quebec) | VEMP (mg/m ³) | 266 mg/m ³ (Pentyl acetates) |
| Canada (Quebec) | VEMP (ppm) | 50 ppm (Pentyl acetates) |
| USA - ACGIH | ACGIH TWA (ppm) | 50 ppm (Pentyl acetate, all isomers) |
| USA - ACGIH | ACGIH STEL (ppm) | 100 ppm (Pentyl acetate, all isomers) |
| USA - IDLH | US IDLH (ppm) | 1000 ppm |
| USA - NIOSH | NIOSH REL (TWA) (mg/m ³) | 525 mg/m ³ |
| USA - NIOSH | NIOSH REL (TWA) (ppm) | 100 ppm |
| USA - OSHA | OSHA PEL (TWA) (mg/m ³) | 525 mg/m ³ |
| USA - OSHA | OSHA PEL (TWA) (ppm) | 100 ppm |

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------------------------|--|
| Hand protection | : Protective gloves |
| Eye protection | : Safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment |
| Environmental exposure controls | : Avoid release to the environment. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|------------------------------------|
| Physical state | : Liquid |
| Colour | : light yellow. amber. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : 93.33 °C (closed cup) ASTM D7094 |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : ≈ 1.16 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

| | |
|---------------------|---------------------------|
| ATE CLP (oral) | 571.429 mg/kg bodyweight |
| ATE CLP (dermal) | 1714.286 mg/kg bodyweight |
| ATE CLP (dust,mist) | 2.857 mg/l/4h |

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|------------------|
| UN-No. (ADR) | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN) | : Not applicable |
| UN-No. (RID) | : Not applicable |

14.2. UN proper shipping name

| | |
|-----------------------------|------------------|
| Proper Shipping Name (ADR) | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN) | : Not applicable |
| Proper Shipping Name (RID) | : Not applicable |

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters, Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters, Triplal (Vertocitral) are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1

Coconut

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-----------------------------------|---|
| Store unit | : 50 liter |
| Classification remarks | : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed |
| Recommendations Danish Regulation | : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data. This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz