

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 9/26/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Dragonfruit Chipotle #:
Product code : Perfumes, Fragrances
Type of product : Finished Good

Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ZEN AROMA 22c Portside Drive Mt Maunganui, 3116 New Zealand PH: 07 578 4755

support@zenaroma.co.nz

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Aldehyde C-16; d-Limonene; Hexyl cinnamic aldehyde; Linalool; Linalyl acetate

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash ... thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water/....

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	4.875 – 9.75	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	4.05 – 8.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Dimethylbenzyl carbinyl acetate(DMBCA)	(CAS-No.) 151-05-3 (EC-No.) 205-781-3	2.625 – 5.25	Aquatic Chronic 3, H412
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	2.4 – 4.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Aldehyde C-14	(CAS-No.) 104-67-6 (EC-No.) 203-225-4 (REACH-no) 01-2119959333-34	2.375 – 4.75	Aquatic Chronic 3, H412
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	1.925 – 3.85	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	1.875 – 3.75	Aquatic Chronic 3, H412
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	1.875 – 3.75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	0.775 – 1.55	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hydroxy	(CAS-No.) 107-75-5 (EC-No.) 203-518-7 (REACH-no) 01-2119973482-31	0.3374805 – 0.674961	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.25 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.25 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Elemi oil	(CAS-No.) 8023-89-0	0.15 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (REACH-no) 01-2119552430-49	0.125 – 0.25	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Allyl caproate	(CAS-No.) 123-68-2 (EC-No.) 204-642-4 (REACH-no) 01-2119983573-26	0.075 – 0.15	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
beta-Caryophyllene	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	0.075 – 0.15	Asp. Tox. 1, H304 Aquatic Chronic 4, H413 Skin Sens. 1B, H317
delta-Damascone	(CAS-No.) 57378-68-4 (EC-No.) 260-709-8	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cuminic aldehyde	(CAS-No.) 122-03-2 (EC-No.) 204-516-9	0.0553655 – 0.110731	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Coriander oil (Coriandrum sativum L.)	(CAS-No.) 8008-52-4 (EC-No.) 283-880-0;616-923-2	0.05 – 0.1	Asp. Tox. 1, H304 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
- : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

9/26/2019 EN (English US) 4/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
Limit value (mg/m³)	62 mg/m³	
Limit value (ppm)	10 ppm	
Denmark - Occupational Exposure Limits		
Limit (long-term) (mg/m³)	61 mg/m³	
Limit (long-term) (ppm)	10 ppm	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (ppm)	10 ppm	
OEL (15 min ref) (ppm)	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	10 ppm	
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	50 mg/m³	
OEL TWA (ppm)	8 ppm	
OEL STEL (mg/m³)	80 mg/m³	

9/26/2019 EN (English US) 5/16

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL STEL (ppm)	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (mg/m³)	62 mg/m³
VLA-ED (ppm)	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

d Limonono (5090-27-5)		
d-Limonene (5989-27-5) Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	140 mg/m³	
	-	
HTP-arvo (8h) (ppm)	25 ppm	
HTP-arvo (15 min)	280 mg/m³	
HTP-arvo (15 min) (ppm)	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
Occupational exposure limit value (mg/m³)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	28 mg/m³	
OEL TWA (ppm)	5 ppm	
OEL STEL (mg/m³)	112 mg/m³	
OEL STEL (ppm)	20 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	168 mg/m³	
VLA-ED (ppm)	30 ppm	
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
TWA (AN) (mg/m³)	140 mg/m³	
TWA (AN) (ppm)	25 ppm	
TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)	
TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)	
OEL chemical category (NO)	Sensitizing substance	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	40 mg/m³	
MAK (ppm)	7 ppm	
KZGW (mg/m³)	80 mg/m³	
KZGW (ppm)	14 ppm	
OEL chemical category (CH)	Sensitizer	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber. Odor characteristic. Odor threshold No data available рΗ : No data available : No data available Relative evaporation rate (butyl acetate=1) Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : ≈ 0.93

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9/26/2019 EN (English US) 7/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Aldehyde C-14 (104-67-6)

LD50 oral rat 18500 mg/kg

Aldehyde C-16 (77-83-8)

LD50 oral rat 5470 mg/kg

Allyl caproate (123-68-2)

LD50 oral	300 mg/kg body weight
LD50 dermal	300 mg/kg body weight
LC50 inhalation rat (Vapors - mg/l/4h)	3 mg/l/4h

Benzyl acetate (140-11-4)

LD50 oral rat	2490 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Citronellol Pure (106-22-9)

7 ta - 1	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg body weight
LD50 dermal rabbit	2650 mg/kg

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal	2650 mg/kg body weight	
Coriander oil (Coriandrum sativum L.) (8008-5	2-4)	
LD50 oral rat	4130 mg/kg	
Cuminic aldehyde (122-03-2)		
LD50 oral rat	1390 mg/kg	
LD50 oral	1390 mg/kg body weight	
LD50 dermal	2800 mg/kg body weight	
LD30 definal	2000 Highly body weight	
delta-Damascone (57378-68-4)		
LD50 oral	1400 mg/kg body weight	
Dimethylbenzyl carbinyl acetate(DMBCA) (15		
LD50 oral rat	3300 mg/kg	
LD50 oral	3300 mg/kg body weight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
EBOO definidi rabbit	- O gring	
Elemi oil (8023-89-0)		
LD50 oral rat	3370 mg/kg	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg body weight	
LD50 dermal rabbit	> 5 g/kg	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg body weight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 inhalation rat (mg/l)	> 5 mg/l/4h	
(3)		
HEXAMETHYLINDANOPYRAN (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg	
	·· J· ʊ	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 oral	2790 mg/kg body weight
LD50 dermal rabbit	2000 mg/kg

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable

d-Limonene (5989-27-5)		
	IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

: Not classified Aspiration hazard

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

Aldehyde C-14 (104-67-6)	
LC50 fish 1	569 mg/l 96 h
EC50 Daphnia 1	5.85 mg/l 48 h
EC50 other aquatic organisms 1	5.94 mg/l 72 h

Aldehyde C-16 (77-83-8)	
LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Allyl caproate (123-68-2)	
LC50 fish 1	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-	
Cuminic aldehyde (122-03-2)	
LC50 fish 1	6.62 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
(5000 07.5)	
d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
1000 Holl 1	22 mg/ (Exposure time. 30 m - Openes. Damo reno (statio))
HEXAMETHYLINDANOPYRAN (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)
Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
2000 110.11 1	
12.2. Persistence and degradability	
Dragonfruit Chipotle #	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	

Dragonfruit Chipotle #	
Bioaccumulative potential	Not established.

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96

Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.

Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9
Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene)

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



RID

Transport hazard class(es) (RID) : Not applicable



14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Orange plates : 90 3082

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9I

Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Reference code Applicable	
3(a)	d-Limonene ; Elemi oil	
3(b)	Dragonfruit Chipotle #; Aldehyde C-16; beta-Caryophyllene; Citronellol Pure; Coriander oil (Coriandrum sativum L.); Cuminic aldehyde; delta-Damascone; d-Limonene; Elemi oil; Geraniol; Hydroxy; Linalool; Linalyl acetate; Triplal (Vertocitral)	
3(c)	Dragonfruit Chipotle #; Aldehyde C-14; Aldehyde C-16; Benzyl acetate; beta-Caryophyllene; Coriander oil (Coriandrum sativum L.); delta-Damascone; d-Limonene; Elemi oil; HEXAMETHYLINDANOPYRAN; Triplal (Vertocitral)	
40.	d-Limonene ; Elemi oil	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

Germany

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

Denmark

Classification remarks

Danish National Regulations

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: Coriander oil, Triplal (Vertocitral) are listed

Coriander oil, Triplal (Vertocitral) are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Aquatic Chronic 2	H411

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz