

In accordance with UN GHS latest edition

| Version: 4 | |
|---|--|
| Sec | ction 1. Identification of the substance or the mixture and of the supplier |
| 1.1 Product Identifier | |
| Product identifier: | Lust(Contains:Benzyl acetate, Geraniol, Indole, Linalool) |
| Other identifiers: | None |
| 1.2 Relevant identified | l uses of the substance of mixture and uses advised against |
| Product uses: | Fragrances |
| 1.3 Details of the supp | olier of the safety data sheet |
| Company name: Company address: | ZEN AROMA 22c Portside Drive Mt Maunganui, 3116 New Zealand |
| Contact: E-Mail address: Company phone: | support@zenaroma.co.nz PH: 07 578 4755 |
| 1.4 Emergency teleph Emergency phone: | one number 0800 764 766 NZ Poisons Centre |
| 0 71 | |
| | |
| | Section 2. Hazards identification |
| 2.1 Classification of the | Section 2. Hazards identification |
| | |
| Class and category of | Flammable Liquid, Hazard Category 4 Acute Toxicity - Oral Category 5 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 1 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H227, Combustible liquid. H303, May be harmful if swallowed. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. |
| Class and category of danger: | Flammable Liquid, Hazard Category 4 Acute Toxicity - Oral Category 5 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 1 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H227, Combustible liquid. H303, May be harmful if swallowed. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. |

Page 2 (11) Issue date: 06/05/2023 Version: 4 (05/26/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

| Product: | Lust | |
|------------------------------|------|--|
| Version: | 4 | |
| | | H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H411, Toxic to aquatic life with long lasting effects. |
| Precautionary statements: | у | P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310, Immediately call a POISON CENTER or doctor/physician. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Pictograms: | | |

2.3 Other hazards Other hazards:

Hydrocarbon Concentration %: 3.4231%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | % GHS Classification | |
|-------------------------|------------|----------------------|--|
| Benzyl acetate | 140-11-4 | 20-<50% | Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412 |
| Methyl dihydrojasmonate | 24851-98-7 | 10-<20% | Aquatic Acute 3;H402 |
| Indole | 120-72-9 | 5-<10% | Acute Tox. 4-Acute Tox. 3-Eye Dam. 1-Aquatic Acute 2; H302-H311-H318-H401 |
| Methyl anthranilate | 134-20-3 | | Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 2; H303-H316-H319-H401 |

In accordance with UN GHS latest edition

Product: Lust

Version: 4

| Linalool | 78-70-6 | 5-<10% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402 | |
|---|------------|---------|--|--|
| Ethyl maltol | 4940-11-8 | 1-<5% | Acute Tox. 4-Aquatic Acute 2;H302-H401 | |
| Phenethyl alcohol | 60-12-8 | 1-<5% | Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319 | |
| Geraniol | 106-24-1 | 1-<5% | Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1- Aquatic Acute 3;H303-H315-H317-H318-H402 | |
| d-Limonene | 5989-27-5 | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412 | |
| 3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol | 3407-42-9 | 1-<5% | Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H316-H319-H400-H411 | |
| Benzyl alcohol | 100-51-6 | 1-<5% | Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A;H302-H313- H319 | |
| Linalyl acetate | 115-95-7 | 1-<5% | Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402 | |
| Benzyl benzoate | 120-51-4 | 1-<5% | Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 | |
| alpha-Pinene | 80-56-8 | 1-<5% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410 | |
| Vanillin | 121-33-5 | 1-<5% | Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H3 H402 | |
| beta-Caryophyllene | 87-44-5 | 0.1-<1% | Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304- H317-H413 | |
| Geranyl acetate | 105-87-3 | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412 | |
| Isophytol | 505-32-8 | 0.1-<1% | Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 1;H315- H410 | |
| dl-Citronellol | 106-22-9 | 0.1-<1% | Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-S Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317- H319-H401 | |
| Eugenol | 97-53-0 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401 | |
| Benzyl salicylate | 118-58-1 | 0.1-<1% | Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412 | |
| Oxacycloheptadec-10-ene-2-one | 28645-51-4 | 0.1-<1% | Aquatic Acute 1-Aquatic Chronic 1;H410 | |
| Amyl salicylate | 2050-08-0 | 0.1-<1% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H30: H410 | |
| p-Methylanisole | 104-93-8 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2-Repr. 2-Aquatic Acute 3;H227-H302-H315-H361-H402 | |
| Acetyl cedrene | 32388-55-9 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410 | |
| cis-Jasmone | 488-10-8 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B-Aquatic Acute 3; H303-H315-H320-H402 | |
| alpha-iso-Methylionone | 127-51-5 | 0.1-<1% | Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411 | |
| LILIAL SUB | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319 | |

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Page 4 (11) Issue date: 06/05/2023 Version: 4 (05/26/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

| Product: | Lust | |
|--------------|------|--|
| Version: | 4 | |
| Eye exposure | 9: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Skin exposur | e: | IF ON SKIN: Wash with plenty of soap and water. |
| Ingestion: | | Rinse mouth with water and obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

In accordance with UN GHS latest edition

Product: Lust

Version: 4

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| _ | |
|---|--|
| Appearance: | Free flowing liquid without sediment |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH: | Not determined |
| Melting point / freezing point: | Not determined |
| Initial boiling point / range: | Not determined |
| Flash point: | 81 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | Not determined |
| Upper/lower flammability or explosive limits: | Product does not present an explosion hazard |
| Vapour pressure: | Not determined |
| Vapour density: | Not determined |
| Relative density: | 1.0150 - 1.0250 |
| Solubility(ies): | Not determined |
| | |

Page 6 (11) Issue date: 06/05/2023 Version: 4 (05/26/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Lust

Version: 4

| Partition coefficient: n-octanol/water: | Not determined |
|---|----------------|
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Viscosity: | Not determined |
| Explosive properties: | Not expected |
| Oxidising properties: | Not expected |
| | |

9.2 Other information:

| Refractive Index @ 20C: | 1.5028 - 1.5128 |
|---------------------------|------------------------------------|
| Flash Point (Fahrenheit): | 177 °F |
| Calculated VOC: | 0.00 |
| Color Range: | 3 Very Pale Yellow - 5 Pale Yellow |

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

| Acute Toxicity: | Acute Toxicity - Oral Category 5 |
|------------------------------------|--|
| Acute Toxicity Oral | 2610 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Skin Corrosion / Irritation Category 2 |
| Serious eye damage/irritation: | Eye Damage / Irritation Category 1 |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |

In accordance with UN GHS latest edition

Product: Lust

Version: 4

Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

| Ingredient | CAS | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|---------------------|-----------|---------------|--------------------|------------------------|---------------|
| Benzyl acetate | 140-11-4 | 2490 | Not available | Not available | Not available |
| Benzyl alcohol | 100-51-6 | 1620 | 2500 | Not available | Not available |
| Benzyl benzoate | 120-51-4 | 1500 | 4000 | Not available | Not available |
| Ethyl maltol | 4940-11-8 | 1200 | Not available | Not available | Not available |
| Geraniol | 106-24-1 | 3600 | Not available | Not available | Not available |
| Indole | 120-72-9 | 1000 | 790 | Not available | Not available |
| Linalool | 78-70-6 | 2790 | Not available | Not available | Not available |
| Methyl anthranilate | 134-20-3 | 2780 | Not available | Not available | Not available |
| Phenethyl alcohol | 60-12-8 | 1610 | 2500 | Not available | Not available |
| Vanillin | 121-33-5 | 3500 | Not available | Not available | Not available |
| alpha-Pinene | 80-56-8 | 500 | Not available | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

| 12.2 Persistence and degradability: | Not available |
|-------------------------------------|---------------|
| 12.3 Bioaccumulative potential: | Not available |
| 12.4 Mobility in soil: | Not available |
| 12.5 Other adverse effects: | Not available |

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

In accordance with UN GHS latest edition

Product: Lust

Version: 4

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4. Packing Group: |
|-------------------------|--------------------|--|--|-----------|-------------------------|
| UN Model Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha- Pinene) | 9 | - | 111 |
| IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha- Pinene) MARINE POLLUTANT | 9 | - | 111 |
| ADR,RID,ADN | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha- Pinene) | 9 | - | 111 |
| ΙCAO ΤΙ | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha- Pinene) | 9 | - | 111 |

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15. Regulatory information

In accordance with UN GHS latest edition

Product: Lust

Version: 4

Components listed on California's Proposition 65:

| Name | CAS | % |
|---------|----------|-------|
| Myrcene | 123-35-3 | <0.1% |

Essential Oil Components:

| Name | CAS | % |
|-------------------|-----------|---------|
| GURJUN BALSAM OIL | 8030-55-5 | 0.1-<1% |
| AMYRIS OIL | 8015-65-4 | <0.1% |

Additional formulation properties

| Name | CAS | % |
|----------------|----------|---------|
| Vanillin | 121-33-5 | 1-<5% |
| Ethyl vanillin | 121-32-4 | 0.1-<1% |

Components listed on California's SB312

| Name | CAS | % |
|-------------------------|----------|---------|
| LINALOOL | 78-70-6 | 5-<10% |
| GERANIOL 980 | 106-24-1 | 1-<5% |
| BENZYL ALCOHOL (S) | 100-51-6 | 1-<5% |
| EUGENOL | 97-53-0 | 0.1-<1% |
| BENZYL SALICYLATE (R) | 118-58-1 | 0.1-<1% |
| METHYL IONONE GAMMA | 127-51-5 | 0.1-<1% |
| COUMARIN (C) | 91-64-5 | <0.1% |

US Department Of Transport Bulk Packing - Group:

Section 16. Other information

 Concentration % Limits:
 SCI 2=72.87% SCI 3=6.01% EDI 1=32.26% EDI 2A=8.62% SS 1=15.87% EH A2=16.76% EH A3=1.65% EH C2=64.56% EH C3=5.85% EH C4=53. 11%

 Total Fractional Values:
 SCI 2=1.37 SCI 3=16.63 EDI 1=3.10 EDI 2A=11.60 SS 1=6.30 EH A2=5. 97 EH A3=60.71 EH C2=1.55 EH C3=17.08 EH C4=1.88

Key to revisions:

Concentration % Limits GHS Workplace Exposure Limits Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|--------------|------------------------------------|
| Acute Tox. 3 | Acute Toxicity - Dermal Category 3 |
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 |

Page 10 (11) Issue date: 06/05/2023 Version: 4 (05/26/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Lust

4

Version:

| Acute Tox. 5 | Acute Toxicity - Dermal Category 5 |
|-------------------|---|
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Aquatic Chronic 4 | Hazardous to the Aquatic Environment - Long-term Hazard Category 4 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Eye Irrit. 2A | Eye Damage / Irritation Category 2A |
| Eye Irrit. 2B | Eye Damage / Irritation Category 2B |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 |
| H226 | Flammable liquid and vapour. |
| H227 | Combustible liquid. |
| H302 | Harmful if swallowed. |
| H303 | May be harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H316 | Causes mild skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H320 | Causes eye irritation. |
| H361 | Suspected of damaging fertility or the unborn child (exposure route). |
| H400 | Very toxic to aquatic life. |
| H401 | Toxic to aquatic life. |
| H402 | Harmful to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |

In accordance with UN GHS latest edition

Product: Lust

4

Version:

| Take precautionary measures against static discharge. |
|--|
| Avoid breathing vapour or dust. |
| Wash hands and other contacted skin thoroughly after handling. |
| Do not eat, drink or smoke when using this product. |
| Contaminated work clothing should not be allowed out of the workplace. |
| Avoid release to the environment. |
| Wear protective gloves/eye protection/face protection. |
| IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| IF ON SKIN: Wash with plenty of soap and water. |
| IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| IF exposed or concerned: Get medical advice/attention. |
| Immediately call a POISON CENTER or doctor/physician. |
| Call a POISON CENTRE or doctor/physician if you feel unwell. |
| Rinse mouth. |
| Do not induce vomiting. |
| If skin irritation occurs: Get medical advice/attention. |
| If skin irritation or rash occurs: Get medical advice/attention. |
| If eye irritation persists: Get medical advice/attention. |
| Remove/Take off immediately all contaminated clothing. |
| Take off contaminated clothing and wash before reuse. |
| Wash contaminated clothing before reuse. |
| In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| Collect spillage. |
| Store in a well-ventilated place. Keep cool. |
| Store locked up. |
| Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Toxic to Reproduction Category 2 |
| Skin Corrosion / Irritation Category 2 |
| Skin Corrosion / Irritation Category 3 |
| Sensitization - Skin Category 1 |
| Sensitization - Skin Category 1B |
| |

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz