

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 1/27/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Rose Quartz #:

UFI 0QDT-13C4-Y007-SMJ9 : Product code : Perfumes, Fragrances :

Type of product Finished Good

Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ZEN AROMA

22c Portside Drive

Mt Maunganui, 3116

New Zealand PH: 07 578 4755

support@zenaroma.co.nz

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Skin sensitization, Category 1 H317
Carcinogenicity Category 2 H351
Hazardous to the aquatic environment - Chronic Hazard Category 2

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous ingredients : Benzyl benzoate; 2-Hydroxybenzoic acid, benzyl ester; Hexyl salicylate; Iso E Super; Musk

ketone

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.H319 - Causes serious eye irritation.H351 - Suspected of causing cancer.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash ... thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	29.75 – 59.5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	4.55 – 9.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	3.525 – 7.05	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(CAS-No.) 63500-71-0 (EC-No.) 405-040-6 (EC Index-No.) 603-101-00-3	1.7875 – 6.06034	Eye Irrit. 2, H319
Hexyl salicylate	(CAS-No.) 6259-76-3 (EC-No.) 228-408-6	1.36075 – 3.365	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Phenylethyl alcohol	(CAS-No.) 60-12-8 (EC-No.) 200-456-2	1.25 – 2.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Isoamyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	1.125 – 2.25	Flam. Liq. 3, H226
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	(CAS-No.) 28219-60-5 (EC-No.) 248-907-2	0.9 – 1.8	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Musk ketone	(CAS-No.) 81-14-1 (EC-No.) 201-328-9 (EC Index-No.) 609-069-00-7	0.525 – 1.05	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	0.5 – 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Bacdanol	(CAS-No.) 28219-61-6 (EC-No.) 248-908-8 (REACH-no) 01-2119529224-45	0.425 – 0.85	Eye Irrit. 2, H319 Aquatic Chronic 1, H410
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (REACH-no) 01-2119552430-49	0.15 – 0.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5 (REACH-no) 01-2119973480-35	0.15 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
acetyl cedrene	(CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28	0.125 – 0.25	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic alcohol	(CAS-No.) 104-54-1 (EC-No.) 203-212-3 (REACH-no) 01-2119934496-29	0.075 – 0.15	Skin Sens. 1B, H317
Cyclamal	(CAS-No.) 103-95-7 (EC-No.) 203-161-7 (REACH-no) 01-2119970582-32	0.075 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Methyl isoeugenol	(CAS-No.) 93-16-3 (EC-No.) 202-224-6 (REACH-no) 01-2120223689-47	0.075 – 0.15	Skin Sens. 1B, H317
Nerol	(CAS-No.) 106-25-2 (EC-No.) 203-378-7	0.075 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	(CAS-No.) 24720-09-0 (EC-No.) 246-430-4	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
delta-Damascone	(CAS-No.) 57378-68-4 (EC-No.) 260-709-8	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Indole crystals	(CAS-No.) 120-72-9 (EC-No.) 204-420-7	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

1/27/2020 EN (English US) 3/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

1/27/2020 EN (English US) 4/17

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special rules on packaging : Store in a closed container. Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isoamyl acetate (123-92-2)		
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	270 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	540 mg/m³	
IOELV STEL (ppm)	100 ppm	
Austria - Occupational Exposure Limits		
MAK (mg/m³)	270 mg/m³ (Pentyl acetate (all isomers))	
MAK (ppm)	50 ppm (Pentyl acetate (all isomers))	
MAK Short time value (mg/m³)	540 mg/m³ (Pentylacetate)	
MAK Short time value (ppm)	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
Limit value (mg/m³)	270 mg/m³	
Limit value (ppm)	50 ppm	
Short time value (mg/m³)	540 mg/m³	
Short time value (ppm)	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (granična vrijednost izloženosti) (mg/m³)	270 mg/m³	
GVI (granična vrijednost izloženosti) (ppm)	50 ppm	
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	540 mg/m³	
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Denmark - Occupational Exposure Limits		
Limit (long-term) (mg/m³)	271 mg/m³ (Amyl acetate, all isomers)	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limit (long-term) (ppm)	50 ppm (Amyl acetate, all isomers)	
Estonia - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	270 mg/m³ (Pentyl acetate)	
HTP-arvo (8h) (ppm)	50 ppm (Pentyl acetate)	
HTP-arvo (15 min)	540 mg/m³	
HTP-arvo (15 min) (ppm)	100 ppm	
France - Occupational Exposure Limits		
VME (mg/m³)	270 mg/m³ (restrictive limit)	
VME (ppm)	50 ppm (restrictive limit)	
VLE (mg/m³)	540 mg/m³ (restrictive limit)	
VLE (ppm)	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 90	0)	
Occupational exposure limit value (mg/m³)	270 mg/m³	
Occupational exposure limit value (ppm)	50 ppm	
Gibraltar - Occupational Exposure Limits		
Eight hours mg/m3	270 mg/m³	
Eight hours ppm	50 ppm	
Short-term mg/m3	540 mg/m³	
Short-term ppm	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA (mg/m³)	530 mg/m³	
OEL TWA (ppm)	100 ppm	
OEL STEL (mg/m³)	800 mg/m³	
OEL STEL (ppm)	150 ppm	
Hungary - Occupational Exposure Limits		
Exposure Limit Value	270 mg/m³	
CK-érték	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	260 mg/m³	
OEL (8 hours ref) (ppm)	50 ppm	
OEL (15 min ref) (mg/m3)	520 mg/m³	
OEL (15 min ref) (ppm)	100 ppm	
Italy - Occupational Exposure Limits	Italy - Occupational Exposure Limits	
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL STEL (ppm)	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	270 mg/m³	
IPRV (ppm)	50 ppm	
TPRV (mg/m³)	540 mg/m³	
TPRV (ppm)	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 15MIN (mg/m³)	530 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	250 mg/m³	
NDSCh (mg/m³)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³ (indicative limit value)	
OEL TWA (ppm)	50 ppm (indicative limit value)	
OEL STEL (mg/m³)	540 mg/m³ (indicative limit value)	
OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	270 mg/m³	
NPHV (priemerná) (ppm)	50 ppm	
NPHV (Hraničná) (mg/m³)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	270 mg/m³ (indicative limit value)	
VLA-ED (ppm)	50 ppm (indicative limit value)	
VLA-EC (mg/m³)	540 mg/m³	
VLA-EC (ppm)	100 ppm	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	270 mg/m³ (Pentyl acetates)	
nivågränsvärde (NVG) (ppm)	50 ppm (Pentyl acetates)	
kortidsvärde (KTV) (mg/m³)	540 mg/m³ (Pentyl acetates)	
kortidsvärde (KTV) (ppm)	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
TWA (AN) (mg/m³)	260 mg/m³	
TWA (AN) (ppm)	50 ppm	
TWA (Korttidsverdi) (mg/m3)	325 mg/m³ (value calculated)	
TWA (Korttidsverdi) (ppm)	75 ppm (value calculated)	
Turkey - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)	
ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)	

Musk ketone (81-14-1)	
Austria - Occupational Exposure Limits	
OEL chemical category (AT)	Group B Carcinogen

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection:	
Safety glasses	

Skin and body protec	on:	
Wear suitable protectiv	clothing	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: light yellow. amber. Color : characteristic. Odor Odor threshold : No data available рΗ : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.07

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Rose Quartz

ATE CLP (oral) 829.505 mg/kg body weight

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

Cinnamic alcohol (104-54-1)	
LD50 oral	2500 mg/kg body weight

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg body weight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg body weight

Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg body weight

Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)	
LD50 oral	1670 mg/kg body weight
LD50 dermal	2900 mg/kg body weight

delta-Damascone (57378-68-4)	
LD50 oral	1400 mg/kg body weight

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

HEXAMETHYLINDANOPYRAN (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg

Hexyl salicylate (6259-76-3)		
	LD50 oral rat	> 5 g/kg

Indole crystals (120-72-9)	
LD50 oral rat	1 g/kg
LD50 oral	1000 mg/kg body weight
LD50 dermal rabbit	790 mg/kg
LD50 dermal	790 mg/kg body weight

Methyl isoeugenol (93-16-3)	
LD50 oral rat	2500 mg/kg
LD50 oral	2500 mg/kg body weight

Musk ketone (81-14-1)	
LD50 oral rat	10 g/kg
LD50 dermal rabbit	> 10 g/kg

Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg
LD50 oral	4500 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg

Phenylethyl alcohol (60-12-8)	
LD50 oral rat	1609 mg/kg
LD50 oral	1610 mg/kg body weight
LD50 dermal rabbit	2535 mg/kg
LD50 dermal	2500 mg/kg body weight
LC50 inhalation rat (mg/l)	> 4.63 mg/l/4h

acetyl cedrene (32388-55-9)	
LD50 oral	4500 mg/kg body weight

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LC50 fish 1	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

HEXAMETHYLINDANOPYRAN (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Nerol (106-25-2)	
LC50 fish 1	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Phenylethyl alcohol (60-12-8)	
EC50 Daphnia 1	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae [mg/l] 1	490 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.9

Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9,

Ш

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9




IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9




IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



RIE

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) 90

Orange plates

90 3082

Tunnel restriction code (ADR) **EAC** •3Z

Transport by sea

: 274, 335, 969 Special provision (IMDG)

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Packing provisions (IMDG) : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG : 964 PCA packing instructions (IATA) PCA max net quantity (IATA) : 450L : 964 CAO packing instructions (IATA) CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

: 274, 335, 375, 601 Special provision (ADN)

Limited quantities (ADN) : 5 L : E1 Excepted quantities (ADN) : PP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable	
3(a)	Isoamyl acetate	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3(b)	Rose Quartz #; Benzyl benzoate; 2-Hydroxybenzoic acid, benzyl ester; Citronellol Pure; Cyclamal; Damascone alpha- (E)-1- (2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0); delta-Damascone; Geraniol; Geranyl acetate; Hexyl salicylate; Iso E Super; Indole crystals; 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol; Methyl isoeugenol; Musk ketone; Nerol; Phenylethyl alcohol; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; Bacdanol; acetyl cedrene
3(c)	Rose Quartz #; Benzyl benzoate; 2-Hydroxybenzoic acid, benzyl ester; Cyclamal; delta-Damascone; HEXAMETHYLINDANOPYRAN; Geranyl acetate; Hexyl salicylate; Iso E Super; Musk ketone; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; Bacdanol; acetyl cedrene
40.	Isoamyl acetate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BImSchV)

WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Ontwikkeling

: None of the components are listed

None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks

Danish National Regulations

: Emergency management guidelines for the storage of flammable liquids must be followed

Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Classification according to Regulation (EC) No. 1272/2008 [CLP]:		
Acute Tox. 4 (Oral)	H302	
Eye Irrit. 2	Н319	
Skin Sens. 1	H317	
Carc. 2	H351	
Aquatic Chronic 2	H411	

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz